



## ISO BEARING-SINGAPORE (PTE)LTD.



6204 Bearing 2D drawings and 3D CAD models

### Motorcycle Parts SKF Koyo 6204 Zz/2RS Deep Groove Ball Bearing

Bearing No. 6204

|                               |                          |
|-------------------------------|--------------------------|
| Size                          | 20x47x14 mm              |
| Bore Diameter                 | 20 mm                    |
| Outer Diameter                | 47 mm                    |
| Width                         | 14 mm                    |
| d                             | 20 mm                    |
| D                             | 47 mm                    |
| B                             | 14 mm                    |
| C                             | 14 mm                    |
| r min.                        | 1 mm                     |
| da min.                       | 25 mm                    |
| Da max.                       | 42 mm                    |
| ra max.                       | 1 mm                     |
| Weight                        | 0,106 Kg                 |
| Basic dynamic load rating (C) | 12,8 kN                  |
| Basic static load rating (C0) | 6,65 kN                  |
| (Grease) Lubrication Speed    | 15000 r/min              |
| (Oil) Lubrication Speed       | 17000 r/min              |
| Category                      | Single Row Ball Bearings |
| Inventory                     | 0.0                      |
| Manufacturer Name             | KOYO                     |
| Minimum Buy Quantity          | N/A                      |
| Weight / Kilogram             | 0.114                    |
| EAN                           | 0605790058226            |
| Product Group                 | B00308                   |
| Enclosure                     | Open                     |



## ISO BEARING-SINGAPORE (PTE)LTD.

|                                 |  |
|---------------------------------|--|
| Precision Class                 | ABEC 1   ISO P0  |
| Maximum Capacity / Filling Slot | No   |
| Rolling Element                 | Ball Bearing   |
| Snap Ring                       | No   |
| Internal Special Features       | No   |
| Cage Material                   | Steel  |
| Internal Clearance              | C0-Medium  |
| Inch - Metric                   | Metric   |
| Long Description                | 20MM Bore; 47MM Outside Diameter; 14MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features |
| Category                        | Single Row Ball Bearing  |
| UNSPSC                          | 31171504   |
| Harmonized Tariff Code          | 8482.10.50.68  |
| Noun                            | Bearing  |
| Keyword String                  | Ball   |
| Manufacturer URL                | <a href="http://www.koyousa.com">http://www.koyousa.com</a>  |
| Manufacturer Item Number        | 6204   |
| Weight / LBS                    | 0.251  |
| Bore                            | 0.787 Inch   20 Millimeter   |
| Outer Race Width                | 0.551 Inch   14 Millimeter   |
| Outside Diameter                | 1.85 Inch   47 Millimeter  |
| Bearing No.                     | 6204   |
| r(min)                          | 1  |
| Cr                              | 16.0   |
| C0r                             | 6.65   |
| Cu                              | 0.510  |
| f0                              | 13.2   |
| Grease lub.                     | 15000  |
|                                 |  |



## ISO BEARING-SINGAPORE (PTE)LTD.

|                  |       |
|------------------|-------|
| Oil lub.         | 17000 |
| da(min)          | 25    |
| Da(max)          | 42    |
| ra(max)          | 1     |
| (Refer.)Mass(kg) | 0.106 |